North Carolina Department of Health and Human Services Division of Mental Health, Developmental Disabilities and Substance Abuse Services


NC-TOPPS

North Carolina Treatment Outcomes and Program Performance System

Adolescent Mental Health Consumers (Ages 12-17) Wake LME

Initial Interviews July 1, 2007 through June 30, 2008

This report includes consumers receiving only mental health services, and those receiving both mental health and substance abuse services.



Data Collected By: Center for Urban Affairs and Community Services (CUACS)

NC State University

Report Produced By: Institute for Community-Based Research

National Development & Research Institutes, Inc. (NDRI)

Prepared For: Quality Management Team

Community Policy Management Section

DMH/DD/SAS NC DHHS

July 2008







Adolescent (12-17) Mental Health Introduction to NC-TOPPS Report

Introduction

This feedback report provides Local Management Entities, providers and the NC Division of Mental Health, Developmental Disabilities and Substance Abuse Services data gathered for adolescent mental health consumers through the North Carolina Treatment Outcomes and Program Performance System (NC-TOPPS). It provides information gathered through the online NC-TOPPS Initial Interview. Seven pages of charts, tables and text information are presented on mental health consumers' demographic characteristics, symptoms, behaviors and activities, service needs, supports and barriers, family and housing issues and outcome measures collected through an interview with the consumer at the beginning of their treatment. It should be noted that not every data element or response category on the NC-TOPPS Initial Interview is displayed in this report.

Please note that the charts and tables may not always match online queries that you may conduct. The data used in these reports will not necessarily reflect the same points in time. In addition, NDRI who produces these reports cleans the data and removes apparent duplicates prior to preparing the tables and charts.

Additional information about NC-TOPPS and printable version of the interviews are available at http://nctopps.ncdmh.net

General Information on Interpreting Tables

Types of Statistics

- A <u>count</u> shows the actual number (often designated by the letter "n") of clients.
- ► A <u>percentage</u> is the number of clients with a characteristic or behavior divided by all the clients in the group of interest multiplied by 100. Percentages will be designated with a % sign next to the number.
- ► An <u>average</u> is the sum of a set of numbers divided by the number of numbers in the set. When a number in a cell is an average, the word average will appear in the row descriptor.
- ▶ A <u>median</u> is the middle number in a set of numbers, arranged from lowest to highest. For example, the median for the following numbers: 9, 12, 12, 15, 17, 20, 22, 23, 25, 28, 31, 35, 62 is the bolded number, 22. Medians are important measures of central tendency, especially when a mean may be skewed by a very high or very low value. When a number in a cell is a median, the word median will appear in the row descriptor.

Missing Data

For many of the NC-TOPPS forms received, a particular item or question may have been left blank. In calculating the means, medians, and percentages in cells of questionnaire items, this missing data is excluded from the calculation. For example, program X may have submitted 50 assessments but in 2 of the assessments, gender was left blank. When the percent of males is calculated, the 25 males are shown as 52% (25/48*100).

Denominators

The denominator for nearly all percentages is the number of cases shown at the bottom on the page minus item missing data. All exceptions to this general rule are noted with appropriate text in the graphic or table. This text will state which group is included or excluded from the denominator, such as "of those enrolled in K-12." In sections with "by groups" such as by age, the demoninator is the age group noted.

Multiple Response

"Multiple response" indicates a "mark all that apply" type question in which more than one response to a question is allowed. The total of responses may add to greater than 100%. Examples are health insurance or target population. This is in contrast to items such as gender where only a single response is allowed.

Definition of terms

The Appendix at the end of the report gives definitions of acronymns, abbreviations, and other terms used in this report.

Special notes:

Initial Assessments Received July 1, 2007 through June 30, 2008 Adolescent (12-17) Mental Health Consumers Wake


This table shows the number of consumers in this report by provider.

Provider	City	ProviderID	Number
A United Community	Raleigh	2054	57
Advanced Health Resources	Raleigh	927	35
American Human Services	Raleigh	635	3
Behavioral Link	Raleigh	1173	8
Caring Family Network	Fayetteville	1018	1
Caring Family Network	Raleigh	192	11
Carolina Comprehensive	1		
Services, LLC	Raleigh	2760	5
Community Partnerships	Raleigh	1711	2
Coordinated Health Services	Raleigh	1448	4
	Fuquay-		
Dominion Healthcare	Varina	1565	5
Dominion Healthcare	Garner	1802	6
Dominion Healthcare	Raleigh	1329	27
Dominion Healthcare	Raleigh	1564	13
Dove Supportive Services	Raleigh	1977	12
Easter Seals UCP/Area	T J		
Services and Programs	Raleigh	197	63
Easter Seals UCP/Area	<u> </u>		
Services and Programs	Raleigh	478	58
Empowered Counseling			
Services	Raleigh	1271	10
Faith Works Community			
Services, Inc.	Raleigh	2587	6
Family Based Strategies	Raleigh	517	22
Fresh Start Residential			
Services, Inc.	Raleigh	1627	26
HOPE Foundations	Raleigh	2393	3
Haven House Services	Raleigh	461	20
HealthCore Resource, Inc.	Raleigh	1686	28
Institute for Family Centered			
Services	Raleigh	698	55
Integrated Family Solutions	Raleigh	1414	31
J Peter, Inc	Raleigh	2475	1
Life Skills Counseling	Raleigh	523	60
Melange Health Solutions	Durham	2610	6
NC Mentor/Alliance	Raleigh	846	3
Omega Independent Living			
Services	Raleigh	699	15
Omni Visions, Inc.	Raleigh	707	9
Philip House Therapeutic			
Services, Inc.	Raleigh	2886	2
Preferred Alternatives, Inc.	Cary	1697	8
Quality Care Solutions	Raleigh	1625	8
Ramseur Homes II, LLC	Cary	2265	14
Reaching Your Goals, Inc.	Raleigh	1350	8
Reaching Your Goals, Inc.	Raleigh	1482	6

Residential Adolescent Adult			
Services Training	Raleigh	2300	18
Right Direction, Inc.	Durham	2293	5
Southlight/Pathways	Raleigh	119	13
Standards - Based Solutions	Durham	1667	1
Therapeutic Connections, Inc.	Raleigh	462	56
Therapeutic Strategies	Garner	1541	12
Touchstone Residential			
Services	Morrisville	2222	4
Triangle Family Services, Inc.	Raleigh	497	1
Triumph	Raleigh	473	13
Visions of Hope	Raleigh	1451	58
W.E.B Dubois CDC	Wake Forest	1256	1
Wellness Supports	Raleigh	640	46
Youth Villages	Hillsborough	2098	30
Total			909




Initial Interviews Received July 1, 2007 through June 30, 2008 Adolescent (12-17) Mental Health Consumer Characteristics Wake




1-2: Hispanic Origin

Of the Wake consumers, 7% indicate that they are of Hispanic, Latino, or Spanish origin.


1-3: Race/Ethnicity




1-5: Age



1-6: Gender and Age



1-7: Gender and Race/Ethnicity







Initial Interviews Received July 1, 2007 through June 30, 2008 Adolescent (12-17) Mental Health Target and Special Populations and Programs Wake

DWI 0%


Blind 0%





Multiple responses

2-3: Special Programs 0% 20% 40% 60% 80% 100% Intensive In Home 8% MST 8% Methamphet. Tx Init. Multiple responses




Note: Refer to appendix for acronym definitions for all charts on this page.



Initial Interviews Received July 1, 2007 through June 30, 2008 Adolescent (12-17) Mental Health Symptoms, Behaviors, and Activities Wake


3-1: Severity of Mental Health Symptoms,



3-2: General Assessment of Functioning (GAF)

GAF scores were reported for 95% of Wake consumers. The average score was 49.5 and the median score was 50.

3-3: Consumer Ratings on Quality of Life



3-4: History of Abuse


2 11 IIIstory of fibuse	
Physically Abused, past 3 months	22%
Sexually Abused, ever	9%
Sexually Abused, past 3 months	1%

3-5: DSM-IV Diagnoses

Diagnostic Category	%
Attention deficit disorder	25%
Oppositional defiant disorder	33%
Major Depression	14%
Conduct disorder	13%
Disruptive behavior	16%
Bipolar disorder	5%
PTSD	6%
Anxiety disorder	4%
Drug Abuse	7%

^{*} Only most commonly diagnosed conditions shown.

3-6: How Often Problems Interfere with Work, School, or Other Daily Activities, Past 3 Months



3-7: Lifetime Suicide Attempts

9% of Wake consumers have attempted suicide at least once during their lifetime.

3-8: Behavior Problems and Symptoms Expressed, Past 3 Months

	%
Suicidal thoughts	15%
Tried to hurt or cause self pain	9%
Risky sexual activity	5%
Hit/physically hurt another person	38%
Carried handgun or weapon	10%




Initial Interviews Received July 1, 2007 through June 30, 2008 Adolescent (12-17) Mental Health Service Needs, Supports, and Barriers Wake


4-1: Public or Private Health Care Provider

Among Wake consumers, 84% report that they have a health care provider and 76% have seen their provider within the past year.


4-2: Service Needs Rated "Very Important"



4-3: Support for Recovery



4-4: Consumer Participation in Positive Activities, Past 3 Months






Initial Interviews Received July 1, 2007 through June 30, 2008 Adolescent (12-17) Mental Health Consumer's Education and Employment Wake

5-1: Enrollment in Academic Programs


Enrolled in	
Any Academic program	92%
Academic Schools (K-12)	86%
Alternative Learning Program (ALP)	7%
Technical or Vocational School	0%
GED or Adult Literacy	0%

Note: Multiple response.


5-2: K-12 School Attendance, by Age



5-3: Average Grade Level of Students in K-12, by Age



5-4: Students in K-12 who Received Mostly A's, B's or C's at Most Recent Grading Period, by Age




5-5: School Suspension, Explusion, and Truancy, Past 3 Months

Of those enrolled in K-12, percent who missed		
school due to		
Expulsion	4%	
Out-of-school suspension	32%	
Truancy	15%	

5-6: Employment, Past 3 Months, by Age

The following chart shows the percent of 15 to 17 year olds, by age, who are working full or part-time. While any work, full or part-time, is shown, nearly all work in this age group is part-time. The denominator for these percentages does not exclude those not in the labor force.






Initial Interviews Received July 1, 2007 through June 30, 2008 Adolescent (12-17) Mental Health Family, and Housing Issues Wake

6-2: Primary Caregiver

•	
Parent(s)	76%
Grandparent(s)	8%
Sibling(s)	0%
Foster parent(s)	5%
Spouse/partner	0%
Other relative	4%
Other	7%


6-3: Where Lived



6-4: Numbers living in special circumstances

Homeless sheltered	4
Homeless unsheltered	0
Foster home	3
Therapeutic foster home	19
Level III Group Home	60
Level IV Group Home	2
State residential treatment facility	5
SA residential treatment facility	0
Halfway house	0

6-5: Times Moved Residences in the Past Year



6-6: Have children

Of the Wake consumers 3% have children of their own.

6-7: Pregnancy and Prenatal Care

	Number
Currently pregnant	12
Referred to prenatal care*	9
Receiving prenatal care*	9

^{*} of those who are pregnant.




Initial Interviews Received July 1, 2007 through June 30, 2008 Adolescent (12-17) Mental Health Outcomes Measures Wake

7-1: Lifetime Admission for Inpatient Mental Health

18% of Wake consumers have had inpatient mental health admissions.

7-2: Health Care: Types of Service Utilized in Past 3 Months



7-3 Arrest History

Any Arrests	
Ever	56%
Past Month	6%
Misdemeanor Arrests	
Ever	41%
Past Month	2%
Felony Arrests	
Ever	21%
Past Month	1%

Note: A person may have arrests for both misdemeanors and felonies.

7-4: Trouble with the law in the Past Month

16% of Wake consumers reported that they had been in trouble with the law in the past month.


7-5: Justice System Involvement

Adult correctional supervision	1%
Juvenile correctional supervision	22%
Admission required by JJ/CJ/court	14%

7-6: Lifetime Use of Substances

Ever used tobacco or alcohol	27%
Ever used other illicit drugs	19%

7-7: Self-Report Substance Use, Past 12 Months



7-8: Cigarette Smoking

Overall, 15% of Wake consumers report that they smoked cigarettes in the past month and 0% smoked a pack a day or more.



Appendix Adolescent (Age 12-17) Mental Health Acronyms and Abbreviations

Acronym or Term	Definition
ACT	Assertive Community Treatment
Af American	African American
AOD	Alcohol or other drugs
CDECI	Target population: Early childhood intervention
CDSN	Target population: Child with Developmental Disability
CMDEF	Target population: Child MH consumer who is deaf or hard of hearing
CSDWI	Target population: Child SA consumer who is receiving DWI Offender Treatment
CMMED	Target population: Child who is Seriously Emotionally Disturbed
CMPAT	Target population: Child MH consumer who is homeless (PATH program)
	Target population: Child who is Seriously Emotionally Disturbed with out of home
CMSED	placement
CSCJO	Target population: Child SA consumer who is a Criminal Justice Offender
CSIP	Target population: Child receiving indicated SA prevention services
CSMAJ	Target population: Child SA consumer in the MAJORS SA/JJ Program
CSSAD	Target population: Child with Substance Abuse Disorder
CSSP	Target population: Child receiving selected SA prevention services
CSWOM	Target population: Child SA consumer who is pregnant or has dependent children
Benzodiaz.	Benzopdiazepine(s)
Buprenorph.	Buprenorphine
Cauc.	Caucasian
Crim. Justice	Criminal Justice
CJ	Criminal Justice
CST	Community support team
Detox	detoxification
DSM	Diagnostic and Statistical Manual (Edition IV)
DSS	Division of Social Services
DWI	Driving while Impaired
GED	General Education Diploma (High School Equivalency)
H or I felon	Class H or I felon (controlled substance) who applied for food stamps
Her	Heroin
Inpt	Inpatient
JJ	Juvenile justice
Juv. Justice	Juvenile justice
Marij.	Marijuana
Med. Mgmt.	psychiatric medication management
Methamphet.	Methamphetamine(s)
Methamphet. Tx. Initiat.	Methamphetamine Treatment Initiative
MH	Mental Health
Outpt. Commitment	Outpatient Commitment
PSR	Psychosocial rehabilitation
PTSD	Post-traumatic Stress disorder
SA	Substance Abuse
SSI/SSDI	Supplemental Security Income or Social Secuity Disability Insurance
TASC	Treatment Accountability for Safer Communities
TBI	Traumatic brain injury